



# THFMC-TM

Sample ID: 2308CRG1371.3220  
Strain: Juicy Mango  
Matrix: Ingestible  
Type: Soft Chew  
Sample Size: 1 units; Batch:

Produced:  
Collected:  
Received: 08/15/2023  
Completed: 08/18/2023  
Batch#: THMG-JM0823



## Summary

Test	Date Tested	Result
Batch		Pass
Water Activity	08/16/2023	Pass
Residual Solvents	08/16/2023	Pass
Microbials	08/17/2023	Pass
Mycotoxins	08/16/2023	Pass
Pesticides	08/16/2023	Pass
Heavy Metals	08/18/2023	Pass
Tryptamines	08/17/2023	Complete

## Tryptamines

Complete

<b>ND</b> Psilocybin	<b>ND</b> Psilocin	<b>0.00 mg/serving</b> Total Tryptamines
-------------------------	-----------------------	---

Analyte	LOD	LOQ	Result	Result	Result	Result	Result
	mg/g	mg/g	%	mg/g	mg/unit	mg/serving	mg/container
4-acetoxy DMT (hydrochloride)	6.59e-9	2.45e-8	ND	ND	ND	ND	ND
4-hydroxy TMT (iodide)	6.59e-9	2.45e-8	ND	ND	ND	ND	ND
5-hydroxy DMT	6.59e-9	2.45e-8	ND	ND	ND	ND	ND
Hydroxy NMT (oxalate)	6.59e-9	2.45e-8	ND	ND	ND	ND	ND
5-methoxy-AMT	6.59e-9	2.45e-8	ND	ND	ND	ND	ND
5-methoxy-NMT	6.59e-9	2.45e-8	ND	ND	ND	ND	ND
Aeruginascin	6.59e-9	2.45e-8	ND	ND	ND	ND	ND
Baeocystin	6.59e-9	2.45e-8	ND	ND	ND	ND	ND
N N-DMT N-oxide	6.59e-9	2.45e-8	ND	ND	ND	ND	ND
Ibotenic Acid	6.59e-9	2.45e-8	ND	ND	ND	ND	ND
Muscimol	6.59e-9	2.45e-8	ND	ND	ND	ND	ND
Norbaeocystin	6.59e-9	2.45e-8	ND	ND	ND	ND	ND
Norpsilocin	6.59e-9	2.45e-8	ND	ND	ND	ND	ND
Nuciferine	6.59e-9	2.45e-8	ND	ND	ND	ND	ND
(+)-Muscarine Chloride	6.59e-9	2.45e-8	ND	ND	ND	ND	ND
Psilocin	6.59e-9	2.45e-8	ND	ND	ND	ND	ND
Psilocybin	6.59e-9	2.45e-8	ND	ND	ND	ND	ND
<b>Total</b>				<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>

Notes: 1 Unit = Gummy, 4.6228g. 1 unit(s) per serving. 15 serving(s) per container.  
Date Tested: 08/17/2023



*Ronald Montez*  
Ronald Montez  
Lab Director  
08/18/2023

*Seth Dixon*  
Seth Dixon, PhD  
Chief Chemist  
08/18/2023

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com





# THFMC-TM

Sample ID: 2308CRG1371.3220  
Strain: Juicy Mango  
Matrix: Ingestible  
Type: Soft Chew  
Sample Size: 1 units; Batch:

Produced:  
Collected:  
Received: 08/15/2023  
Completed: 08/18/2023  
Batch#: THMG-JM0823



## Summary

Test	Date Tested	Result
Batch		Pass
Water Activity	08/16/2023	Pass
Residual Solvents	08/16/2023	Pass
Microbials	08/17/2023	Pass
Mycotoxins	08/16/2023	Pass
Pesticides	08/16/2023	Pass
Heavy Metals	08/18/2023	Pass
Tryptamines	08/17/2023	Complete

## Tryptamines

Complete

Analyte	LOD	LOQ	Result	Result	Result	Result	Result
Psilocybin			ND	ND	0.00 mg/serving		
			Psilocin		Total Tryptamines		

Notes: 1 Unit = Gummy, 4.6228g. 1 unit(s) per serving. 15 serving(s) per container.  
Date Tested: 08/17/2023



*Ronald Montez*  
Ronald Montez  
Lab Director  
08/18/2023

*Seth Dixon*  
Seth Dixon, PhD  
Chief Chemist  
08/18/2023

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com





# THFMC-TM

Sample ID: 2308CRG1371.3220  
Strain: Juicy Mango  
Matrix: Ingestible  
Type: Soft Chew  
Sample Size: 1 units; Batch:

Produced:  
Collected:  
Received: 08/15/2023  
Completed: 08/18/2023  
Batch#: THMG-JM0823

## Pesticides

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.004	0.031	0.300	ND	Pass	Fludioxonil	0.004	0.031	30.000	ND	Pass
Acephate	0.008	0.031	5.000	ND	Pass	Hexythiazox	0.004	0.031	2.000	ND	Pass
Acequinocyl	0.007	0.031	4.000	ND	Pass	Imazalil	0.010	0.031	0.010	ND	Pass
Acetamiprid	0.004	0.031	5.000	ND	Pass	Imidacloprid	0.005	0.031	3.000	ND	Pass
Aldicarb	0.010	0.031	0.010	ND	Pass	Kresoxim Methyl	0.007	0.031	1.000	ND	Pass
Azoxystrobin	0.006	0.031	40.000	ND	Pass	Malathion	0.009	0.031	5.000	ND	Pass
Bifenazate	0.005	0.031	5.000	ND	Pass	Metalaxyl	0.004	0.031	15.000	ND	Pass
Bifenthrin	0.007	0.031	0.500	ND	Pass	Methiocarb	0.010	0.031	0.010	ND	Pass
Boscalid	0.006	0.031	10.000	ND	Pass	Methomyl	0.006	0.031	0.100	ND	Pass
Captan	0.051	0.063	5.000	ND	Pass	Mevinphos	0.015	0.031	0.015	ND	Pass
Carbaryl	0.003	0.031	0.500	ND	Pass	Myclobutanil	0.007	0.031	9.000	ND	Pass
Carbofuran	0.010	0.031	0.010	ND	Pass	Naled	0.004	0.031	0.500	ND	Pass
Chlorantraniliprole	0.006	0.031	40.000	ND	Pass	Oxamyl	0.004	0.031	0.200	ND	Pass
Chlordane	0.030	0.063	0.030	ND	Pass	Pacllobutrazol	0.010	0.031	0.010	ND	Pass
Chlorfenapyr	0.030	0.063	0.030	ND	Pass	Parathion Methyl	0.030	0.063	0.030	ND	Pass
Chlorpyrifos	0.010	0.031	0.010	ND	Pass	Pentachloronitrobenzene	0.025	0.063	0.200	ND	Pass
Clofentazine	0.013	0.031	0.500	ND	Pass	Permethrin	0.012	0.031	20.000	ND	Pass
Coumaphos	0.010	0.031	0.010	ND	Pass	Phosmet	0.006	0.031	0.200	ND	Pass
Cyfluthrin	0.039	0.063	1.000	ND	Pass	Piperonyl Butoxide	0.005	0.031	8.000	ND	Pass
Cypermethrin	0.036	0.063	1.000	ND	Pass	Prallethrin	0.008	0.031	0.400	ND	Pass
Daminozide	0.030	0.063	0.030	ND	Pass	Propiconazole	0.006	0.031	20.000	ND	Pass
Diazinon	0.004	0.031	0.200	ND	Pass	Propoxur	0.010	0.031	0.010	ND	Pass
Dichlorvos	0.010	0.031	0.010	ND	Pass	Pyrethrins	0.006	0.031	1.000	ND	Pass
Dimethoate	0.010	0.031	0.010	ND	Pass	Pyridaben	0.004	0.031	3.000	ND	Pass
Dimethomorph	0.012	0.031	20.000	ND	Pass	Spinetoram	0.017	0.031	3.000	ND	Pass
Ethoprophos	0.010	0.031	0.010	ND	Pass	Spinosad	0.017	0.031	3.000	ND	Pass
Etofenprox	0.010	0.031	0.010	ND	Pass	Spiromesifen	0.007	0.031	12.000	ND	Pass
Etoxazole	0.003	0.031	1.500	ND	Pass	Spirotetramat	0.005	0.031	13.000	ND	Pass
Fenhexamid	0.012	0.031	10.000	ND	Pass	Spiroxamine	0.010	0.031	0.010	ND	Pass
Fenoxycarb	0.010	0.031	0.010	ND	Pass	Tebuconazole	0.006	0.031	2.000	ND	Pass
Fenpyroximate	0.003	0.031	2.000	ND	Pass	Thiacloprid	0.010	0.031	0.010	ND	Pass
Fipronil	0.010	0.031	0.010	ND	Pass	Thiamethoxam	0.006	0.031	4.500	ND	Pass
Fonicamid	0.008	0.031	2.000	ND	Pass	Trifloxystrobin	0.002	0.031	30.000	ND	Pass

Date Tested: 08/16/2023

Method: LC-MS/MS& GC-MS/MS SOP-426. LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Measurement uncertainty is not taken into account when statements of conformity (Pass/fail) are made in this report. The decision rule, i.e. All statements of conformity, in this report are made according to the action limits set by CA-DCC (Pass-results within limits/specifications, Fail-results exceed limits/specifications) and can be found within California Code of Regulations Title 4 Division 19. Department of Cannabis Control



*Ronald Montez*  
Ronald Montez  
Lab Director  
08/18/2023

*Seth Dixon*  
Seth Dixon, PhD  
Chief Chemist  
08/18/2023

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Samples obtained per method: SOP 439 Sampling, Methods: Foreign Matter Analysis Microscopy SOP-421; Moisture Content MOC63u SOP-422; Water Activity Rotronics Water Activity Probe SOP-428. This product has been tested by California Ag Labs using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730, pursuant to 4 CCR section 15726 (e)(13). Values reported relate only to the product tested. California Ag Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of California Ag Labs.



## THFMC-TM

Sample ID: 2308CRG1371.3220  
Strain: Juicy Mango  
Matrix: Ingestible  
Type: Soft Chew  
Sample Size: 1 units; Batch:  
Produced:  
Collected:  
Received: 08/15/2023  
Completed: 08/18/2023  
Batch#: THMG-JM0823

### Microbials

Pass

Analyte	Results	Status
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 08/17/2023  
Method: qPCR SOP-424. TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. The Decision rule for stating results as pass or fail corresponds to the limits set by CA-DCC.

### Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	4.96	5		ND	Tested
B2	3.56	5		ND	Tested
G1	4.92	5		ND	Tested
G2	4.02	5		ND	Tested
Total Aflatoxins	4.96	5	20	ND	Pass
Ochratoxin A	4.95	5	20	ND	Pass

Date Tested: 08/16/2023  
Method: LC-MS/MS SOP-425. LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Measurement uncertainty is not taken into account when statements of conformity (Pass/fail) are made in this report. The decision rule, i.e. All statements of conformity, in this report are made according to the action limits set by CA-DCC (Pass-results within limits/specifications, Fail-results exceed limits/specifications) and can be found within California Code of Regulations Title 4 Division 19. Department of Cannabis Control

### Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0637	0.0976565	1.5	ND	Pass
Cadmium	0.06455	0.0976565	0.5	ND	Pass
Lead	0.07025	0.0976565	0.5	ND	Pass
Mercury	0.0756	0.0976565	3	ND	Pass

Date Tested: 08/18/2023  
Method: ICP-MS SOP-423. LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Measurement uncertainty is not taken into account when statements of conformity (Pass/fail) are made in this report. The decision rule, i.e. All statements of conformity, in this report are made according to the action limits set by CA-DCC (Pass-results within limits/specifications, Fail-results exceed limits/specifications) and can be found within California Code of Regulations Title 4 Division 19. Department of Cannabis Control



ISO/IEC 17025:2017 ACCREDITED CRT# 6099.01

Ronald Montez  
Lab Director  
08/18/2023

Seth Dixon, PhD  
Chief Chemist  
08/18/2023

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Samples obtained per method: SOP 439 Sampling, Methods: Foreign Matter Analysis Microscopy SOP-421; Moisture Content MOC63u SOP-422; Water Activity Rotronics Water Activity Probe SOP-428. This product has been tested by California Ag Labs using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730, pursuant to 4 CCR section 15726 (e)(13). Values reported relate only to the product tested. California Ag Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of California Ag Labs.



## THFMC-TM

Sample ID: 2308CRG1371.3220  
Strain: Juicy Mango  
Matrix: Ingestible  
Type: Soft Chew  
Sample Size: 1 units; Batch:

Produced:  
Collected:  
Received: 08/15/2023  
Completed: 08/18/2023  
Batch#: THMG-JM0823

### Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.225	0.469	1	ND	Pass
Acetone	12.462	46.873	5000	ND	Pass
Acetonitrile	16.464	46.873	410	ND	Pass
Benzene	0.239	0.469	1	ND	Pass
Butane	16.937	46.873	5000	ND	Pass
Chloroform	0.247	0.469	1	ND	Pass
Ethanol	13.762	46.873	5000	ND	Pass
Ethyl-Acetate	12.547	46.873	5000	ND	Pass
Ethyl-Ether	28.899	46.873	5000	ND	Pass
Ethylene Oxide	0.225	0.469	1	ND	Pass
Heptane	11.723	46.873	5000	ND	Pass
Isopropanol	12.209	46.873	5000	ND	Pass
Methanol	22.99	46.873	3000	<LOQ	Pass
Methylene-Chloride	0.258	0.469	1	ND	Pass
n-Hexane	29.171	46.873	290	ND	Pass
Pentane	15.568	46.873	5000	ND	Pass
Propane	17.861	46.873	5000	ND	Pass
Toluene	29.384	46.873	890	ND	Pass
Trichloroethene	0.274	0.469	1	ND	Pass
Xylenes	27.174	46.873	2170	ND	Pass

Date Tested: 08/16/2023

Method: HS-GCMS SOP-429. LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Measurement uncertainty is not taken into account when statements of conformity (Pass/fail) are made in this report. The decision rule, i.e. All statements of conformity, in this report are made according to the action limits set by CA-DCC (Pass-results within limits/specifications, Fail-results exceed limits/specifications) and can be found within California Code of Regulations Title 4 Division 19. Department of Cannabis Control



ISO/IEC 17025:2017 ACCREDITED CRT# 6099.01

Ronald Montez  
Lab Director  
08/18/2023

Seth Dixon, PhD  
Chief Chemist  
08/18/2023

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Samples obtained per method: SOP 439 Sampling, Methods: Foreign Matter Analysis Microscopy SOP-421; Moisture Content MOC63u SOP-422; Water Activity Rotronics Water Activity Probe SOP-428. This product has been tested by California Ag Labs using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730, pursuant to 4 CCR section 15726 (e)(13). Values reported relate only to the product tested. California Ag Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of California Ag Labs.



## THFMC-TM

Sample ID: 2308CRG1371.3220  
Strain: Juicy Mango  
Matrix: Ingestible  
Type: Soft Chew  
Sample Size: 1 units; Batch:

Produced:  
Collected:  
Received: 08/15/2023  
Completed: 08/18/2023  
Batch#: THMG-JM0823

Water Activity

Pass

**0.7417 aw**

0.85 Limit

Water Activity

Foreign Matter

**Not Tested**

Foreign Matter



ISO/IEC 17025:2017 ACCREDITED CRT# 6099.01

Ronald Montez  
Lab Director  
08/18/2023

Seth Dixon, PhD  
Chief Chemist  
08/18/2023

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Samples obtained per method: SOP 439 Sampling, Methods: Foreign Matter Analysis Microscopy SOP-421; Moisture Content MOC63u SOP-422; Water Activity Rotronics Water Activity Probe SOP-428. This product has been tested by California Ag Labs using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730, pursuant to 4 CCR section 15726 (e)(13). Values reported relate only to the product tested. California Ag Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of California Ag Labs.